



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007094265

Filing Deadline: January 15, 2016

FRN: 0003740768

Filing Date: 01/12/2016 04:46 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: TelAlaska Cellular, Inc.
Brand Names: TelAlaska Cellular, Inc.
PO Box:
Street Address: 201 E 56th Avenue
City: Anchorage
State: AK
Zip Code: 99518

Contact Name: Robert W. Dunn
Contact Phone: (907) 563-2003
Contact Fax:
Contact Email: b_dunn@telalaska.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <http://www.telalaska.com/cellphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: TelAlaska Cellular provides detailed HAC handset information to its customers on its website. It also attends community meetings, handing out service brochures..

Methodology for Functionality Levels

TelAlaska Cellular offers HAC-compatible handsets in all major price categories and functionalities. Costs generally correlate with functionality and features. Tier levels: Low less than 100, Mid 100-200, Upper above 200.

Report Remarks

TelAlaska generally has 12 handsets available on an ongoing basis. Report total by air interface shows 16 but some were discontinued and replaced during the year as described in handset remarks. This filing demonstrates full compliance with FCC HAC rules.

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	10	63%	3	19%	3	19%	16

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
Wi-Fi	6	55%	3	27%	2	18%	11

Handset 1: Alcatel 875T Mini Q

Handset Maker

Alcatel

Handset Model Name

875T Mini Q

FCC ID

RAD296

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Handset 2: Alcatel Idol 6030A

Handset Maker

Alcatel

Handset Model Name

Idol 6030A

FCC ID

RAD313

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Handset 3: Alcatel MPOP 5020W

Handset Maker

Alcatel

Handset Model Name

FCC ID

MPOP 5020W

RAD356

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Handset 4: Alcatel OT 768T

Handset Maker

Alcatel

Handset Model Name

OT 768T

FCC ID

RAD287

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Handset 5: Cat B100

Handset Maker

Cat

Handset Model Name

B100

FCC ID

ZL5B100

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Handset 6: Cat B15Q

Handset Maker

Cat

Handset Model Name

B15Q

FCC ID

ZL5B15Q

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Handset 7: HYUNDAI e245

Handset Maker

HYUNDAI

Handset Model Name

e245

FCC ID

RQQHLT-E24FSL

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Low Tier

Remarks

Replaces VeryKool i133.

Handset 8: Nokia 2720

Handset Maker

Nokia

Handset Model Name

2720

FCC ID

QTLRM-520

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 11/11 to 02/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Low Tier

Remarks

Handset 9: Plum Gator Plus

Handset Maker

Plum

Handset Model Name

Gator Plus

FCC ID

Y7WPLUMZ350

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

Handset 10: Samsung Galaxy Grand Prime

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Grand Prime

A3LSMG531H

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Upper Tier

Remarks

Replaces VeryKool RS75.

Handset 11: Samsung GALAXY J7

Handset Maker

Samsung

Handset Model Name

GALAXY J7

FCC ID

A3LSMJ700M

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Replaces VeryKool s400.

Handset 12: Samsung S275

Handset Maker

Samsung

Handset Model Name

S275

FCC ID

A3LSGHS275G

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 04/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Low Tier

Remarks

Handset 13: Snapfon ezTWO-B

Handset Maker

Snapfon

Handset Model Name

ezTWO-B

FCC ID

ZXL-EZTWOB

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Lower Tier

Remarks

Handset 14: Verykool i133

Handset Maker

Verykool

Handset Model Name

i133

FCC ID

WA6i133

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/14 to 10/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Lower Tier

Remarks

Replaced with Hyundai e245.

Handset 15: Verykool RS75

Handset Maker

Verykool

Handset Model Name

RS75

FCC ID

WA6RS75

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/14 to 04/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Replaced with Samsung Galaxy Grand.

Handset 16: Verykool S400

Handset Maker

Verykool

Handset Model Name

S400

FCC ID

WA6S400T

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/14 to 11/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Replaced with Samsung Galaxy J7.

Certification

This Report has been certified by:

David J Goggins President and General Manager

01/12/2016 04:46 PM

Reference Copy